




Hand pallet truck

AM 30

Lift height: 120 mm / Load capacity: 3000 kg

 **JUNGHEINRICH**

AM 30



VDI table

Stand-on: 08/2022

Characteristic	1.1	Manufacturer (abbreviated description)		Jungheinrich			
	1.2	Manufacturer's type designation		AM 30			
	1.3	Drive		Manual			
	1.4	Operation		Manual			
	1.5	Load capacity/load	Q kg	3000			
	1.6	Load centre distance	c mm	600	800	900	1050
	1.9	Wheelbase	y mm	1174	-	-	2054
Weights	2.1	Service weight	kg	86	124	126	142
	2.2	Axle load laden front/rear	kg	815 / 2270	-	-	1135 / 2007
	2.3	Axle load unladen front/rear	kg	28 / 58	-	-	57 / 85
Wheels/suspension system	3.1	Tyres		V-BV			
	3.2	Tyre size, front		Ø 200 x 50			
	3.3	Tyre size, rear		Ø 80 x 70			
	3.5	Wheels, number front/back (x=driven)		2/4	2 / 4	-	2/4
	3.6	Tread width, front	b ₁₀ mm	116			
	3.7	Tread width, rear	b ₁₁ mm	390			
	Basic dimensions	4.4	Lift (h ₃)	h ₃ mm	120		
4.14		Stand height, elevated	h ₁₂ mm	205			
4.15		Height, lowered	h ₁₃ mm	85			
4.19		Overall length	l ₁ mm	1603	-	-	2483
4.20		Length including fork shank	l ₂ mm	383			
4.21.1		Overall width	b ₁ mm	550			
4.22		Fork dimensions	s/ e/l mm	45 x 160 x 1220	63 x 160 x 1600	63 x 160 x 1800	63 x 160 x 2100
4.25		Width across forks	b ₅ mm	550			
4.32		Ground clearance centre of wheelbase	m ₂ mm	36	-	-	36
4.34.1		Aisle width (pallet 1000x1200 sideways)	A _{st} mm	1803	-	-	2683
4.34.2		Aisle width (pallet 800x1200 length)	A _{st} mm	1803	-	-	2683
4.35		Turning radius	W _a mm	1319	-	-	2184
Performance data	5.3	Lowering speed laden/unladen	m/s	0.09 / 0.05			

- This data sheet according to VDI guideline 2198 only states the technical values of the standard truck. Different tyres, other masts, additional equipment etc. may result in different values.

The German production facilities in
Norderstedt, Moosburg and Landsberg
are certified.

ISO 9001
ISO 14001

Jungheinrich fork lift trucks meet
European safety requirements.



 **JUNGHEINRICH**

The Jungheinrich logo, featuring a red upward-pointing arrow above the word 'JUNGHEINRICH' in a bold, black, sans-serif font.